



HIDROMOTORJI TMF




	L [mm]	L1 [mm]	L2 [mm]	L3 [mm]
TMF 200	126	0,98	83	110,3
TMF 250	132,3	31,3	89,3	116,6
TMF 315	141,5	40,5	98,5	125,8
TMF 400	152	51	109	136,3
TMF 470	160	59	117	144,3
TMF 500	166	65	123	150,3
TMF 630	162	61	119	146,3
TMF 725	171	70	128	155,3

		TMF 200	TMF 250	TMF 315	TMF 400	TMF 470	TMF 500	TMF 630	TMF 725
cm/vrtljaji		201,4	251,8	326,3	410,9	475	523,6	631,2	724
Vrtljaji [rpm]	konstantni	625	500	380	305	260	240	185	170
	s prekinitvami	750	600	460	365	315	285	225	215
Navor [Nm]	konstantni	74	90	116	147	171	172	175	160
	s prekinitvami	102	128	163	206	215			192
	max.	115	144	186	235	240		250	240
Moč [kW]	konstantna	41					37,5	28	26
	s prekinitvami	65	70			55	51	42	40
Tlak [bar]	konstantni	250					230	185	160
	s prekinitvami	350					280	225	210
	max.	400					320	270	260
Pretok olja [L/min]	konstantni	125							
	s prekinitvami	150							
Priključni navoj		3/4"							
Teža [kg]		26,9	27,3	28,1	29	29,7	30,2	29,7	31


TMF 200




TMF 250




TMF 315




TMF 400




TMF 470



TMF 500



TMF 630



TMF 725

